

VINCE.

LAYETTE TESTING MANUAL

Dec 4, 2020

Table of Contents	Page
Contact	4
Layette Test Request Form	7
Layette Requirement Chart	10
Layette Cashmere Protocol	11
SGS Laboratory List	15

Manual Revision Log

Nov 20, 2020	Nevine Noss	Launch manual
Dec 4, 2020	Nevine Noss	Pages 5 & 11: Updated tracking label information. Page 7: Updated TRF

Contact Information

VINCE.

900 N. Cahuenga Blvd.
Los Angeles, CA 90038

Contact Name: Erin Klipsch
Title: **Production Assistant**
Telephone: 323-761-6010 ext. 6032
Email: eklipsch@vince.com

SGS

291 Fairfield Avenue
Fairfield, NJ 07004

US Global Key Account Manager:

Nevine Noss
Title: Key Account Manager
Contact for: Day to day activities and correspondence, inspection coordination, local testing status, operational issues, maintenance of SOP
Phone: 973-461-7945
Email: Nevine.noss@sgs.com

US Technical Support:

Name: Bopanna Poonacha
Title: Technical Manager Softlines
Contact for: Testing manual development and updates, test and package pricing, technical support on testing performance and standards
Phone: 973-461-7965
Email: Bopanna.poonacha@sgs.com

Asia Account Manager:

Name: YingYing Shek
Title: Key Account Manager
Phone: +852 60186763
Email: yingying.shek@sgs.com

CHILDREN'S COMPLIANCE

- Compliance with all applicable flammability regulations is MANDATORY. Flammability regulations prohibit the import, manufacture, or sale of articles of wearing apparel and textile fabrics intended for use in clothing that are highly flammable as to be dangerous when worn by individuals.
- Compliance with all applicable chemical/toxicity regulations is MANDATORY. Certain regulations and standards prohibit or restrict the use of certain metals and substances.
- All product and product components must be free of mechanical hazards (including, but not limited to, small parts, sharp points, sharp edges, strangulation/entrapment/circulation hazards).
- Drawstrings, cords, decorative ties, and adjustable tabs must be in compliance with all applicable federal, provincial, regional and state standards and regulations.
- Toggles, knots and attachments at free ends for all strings and trims/hardware are prohibited.
- Snaps, bows, buttons must meet the applicable use & abuse and pull test standards.
- Pom poms, sequins and other small part trims are prohibited.
- Textile or apparel for infants (36 months and under) may not have attachments measuring 1/8" (3mm) or less in dimension.
- Decorative beads may only be used subject to Vince approval.
- Trims with sharp points or sharp edges are PROHIBITED.
- Hand sewn buttons and hook & eyes must meet or exceed minimum quality and execution requirements.
- Yarn or thread free ends should be adequately secured to prevent unravelling.
- China import – garments for infants (36 months and under) may not have permanent sewn in labels that come in direct contact with the skin.
- ALL CHILDRENS PRODUCT MUST HAVE AN ACCURATE AND COMPLETE CHILDRENS PRODUCT CERTIFICATE OF CONFORMITY CREATED AND ISSUED, AFTER COMPLETION OF TESTING.
- Requirement for Baby is to run through metal detector twice once horizontally and once vertically
- LABELING AND CARE-RELATED TESTS
 - o Confirm that the non-regulatory tests in the Layout relate to and comply with the labeling and care disclosure requirements set forth by specific acts that are enforced by the Federal Trade Commission, including the Wool Products Labeling Act (15 U.S.C. § 68), the Textile Fiber Products Identification Act (15 U.S.C. §§ 70-70k), and the Care Labeling of Textile Wearing Apparel and Certain Piece Goods (16 C.F.R Part 423)
 - o Labeling – not intended as sleepwear.
 - o All product shipments must have a permanent tracking label. With below information.
 1. Manufacturer or private labeler name;
 2. Location and date of production of the product;
 3. Detailed information on the manufacturing process, such as batch or run number, or other identifying characteristics; and
 4. Any other information to facilitate ascertaining the specific source of the product.

Fabric stage (woven and cut and sew to be determined in the future)

Full test package is to be completed on all colors. Can group test fiber ID.

Trim Stage

Trims are tested as raw material and as part of garment test package for compliance. If trims have not been tested at component/raw material level the garment test must include component testing and compliance for trim.

Garment stage

Garment Test package is to be tested on all colorways. Can group test fiber ID

General Trim

Component/trim testing.

All trim shall be:

- CPSIA compliant
- Non ferrous and compliant with metal detection policy
- Compliant with restricted substances requirements. Are the following listed in current Vince banned substance list for US? If not please add: Antimony, Arsenic, Allergenic disperse dyes, Barium, Mercury, Nickel, Cadmium, Chromium VI, formaldehyde, Lead, NPE/NPEO, Organotins, Phthalates.
- Trim cannot have sharp points/sharp edges.
- For sizes 0-3T, no trims smaller than 1/8" (3mm) in dimension.

Finished garment testing - add below to existing Vince testing

1. SECURITY OF ATTACHED COMPONENTS (Buttons, rivets, snaps etc.)

a). Pinch Test – components that were attached by physical compression ie snaps.

All other information reference the adult apparel manual

VINCE. Layette Test Request Form – SGS

Global Key Account Manager: Nevine Noss		*Mandatory Field
*VENDOR:	CONTACT PERSON:	
ADDRESS:		
PHONE:	EMAIL:	
VENDOR'S COURIER ACCOUNT # FOR SAMPLE RETURN:		
REPORTS TO:		
BILL TO:		
ADDRESS:		
Email reports to: Do not email reports to VINCE. All reports must be uploaded to DataManager Vendor:		
*SAMPLE DESCRIPTION:		
<input type="checkbox"/> INFANTS <input type="checkbox"/> CHILDREN (up to age 12 and under)		
COLOR:	*SUPPLIER:	
*FABRIC/GARMENT STYLE #:	*PO# / REF#:	
MFG:	COUNTRY OF ORIGIN:	
FIBER CONTENT:	WEIGHT OZ YD ² :	
*MARKET SEGMENT: (fabric or garment)	*SEASON:	
COUNTRY OF DISTRIBUTION: US <input type="checkbox"/> Canada <input type="checkbox"/> EU <input type="checkbox"/> Korea <input type="checkbox"/> Japan <input type="checkbox"/> China <input type="checkbox"/> Dubai <input type="checkbox"/> Other		
VENDOR PROPOSED CARE INSTRUCTION:		
*LAUNDRY DETERGENT: <input type="checkbox"/> AATCC with Optical Brighteners <input type="checkbox"/> AATCC without Optical Brighteners		
Package Test: (click on box to "check") <input type="checkbox"/> Cashmere Products <input type="checkbox"/> Additional Colorways Retest, previous report #		
<input type="checkbox"/> Blanket Flammability <input type="checkbox"/> Children's Sleepwear Flammability		
Cashmere Fiber & Yarn Tests <input type="checkbox"/> Raw material fiber tests: Include: fiber content (pls specify claimed fiber diameter) fiber length (pls specify claimed fiber length) <input type="checkbox"/> Yarn Tests: Include: fiber content (pls specify claimed fiber diameter) yarn Twist yarn Count yarn Strength	RSL TESTING- by material category: <input type="checkbox"/> Plastics and Synthetic Materials PU, PVC, Rubber, TPU, TPR, EVA <input type="checkbox"/> Paint / Coating/ Surface Prints <input type="checkbox"/> Natural Textiles <input type="checkbox"/> Synthetic Textiles <input type="checkbox"/> Metal parts <input type="checkbox"/> Natural Leather Notes:	NOTE: Submit a separate form for the below REACH SVHC test submission REACH SVHC Screening¹ <input type="checkbox"/> SVHC SCREEN LITE <input type="checkbox"/> SVHC Product Compliance package ¹ The screening approach of mixing a maximum of 20-in-1 mix test per material group would be adopted for finished products and a maximum of 5-in-1 mix for raw materials. Components of different material groups or articles cannot be mixed.
SUPPLIER SIGNATURE:	DATE:	
NOTE: Applicant is hereby authorizing SGS to provide a copy of the lab test results to VINCE.		
Service Required: <input type="checkbox"/> Regular (5 days) <input type="checkbox"/> Express (3 days): Surcharge: US: 50% Asia: 40% <input type="checkbox"/> Return Residual Sample		

GENERAL CONDITIONS OF SERVICE

1. General

(a) Unless otherwise agreed in writing or except where they are at variance with (i) the regulations governing services performed on behalf of governments, government bodies or any other public entity or (ii) the mandatory provisions of local law, all offers or services and all resulting contractual relationship(s) between any of the affiliated companies of SGS North America Inc. or any of their agents (each a "Company") and Client (the "Contractual Relationship(s)") shall be governed by these general conditions of service (hereinafter the "General Conditions").

(b) The Company may perform services for persons or entities (private, public or governmental) issuing instructions (hereinafter, the "Client").

(c) Unless the Company receives prior written instructions to the contrary from Client, no other party is entitled to give instructions, particularly on the scope of the services or the delivery of reports or certificates resulting therefrom (the "Reports of Findings"). Client hereby irrevocably authorises the Company to deliver Reports of Findings to a third party where so instructed by Client or, at its discretion, where it implicitly follows from circumstances, trade custom, usage or practice.

2. Provision of Services

(a) The Company will provide services using reasonable care and skill and in accordance with Client's specific instructions as confirmed by the Company or, in the absence of such instructions:

- (1) the terms of any standard order form or standard specification sheet of the Company; and/or
- (2) any relevant trade custom, usage or practice; and/or
- (3) such methods as the Company shall consider appropriate on technical, operational and/or financial grounds.

(b) Information stated in Reports of Findings is derived from the results of inspection or testing procedures carried out in accordance with the instructions of Client, and/or our assessment of such results on the basis of any technical standards, trade custom or practice, or other circumstances which should in our professional opinion be taken into account.

(c) Reports of Findings issued further to the testing of samples contain the Company's opinion on those samples only and do not express any opinion upon the lot from which the samples were drawn.

(d) Should Client request that the Company witness any third party intervention, Client agrees that the Company's sole responsibility is to be present at the time of the third party's intervention and to forward the results, or confirm the occurrence, of the intervention. Client agrees that the Company is not responsible for the condition or calibration of apparatus, instruments and measuring devices used, the analysis methods applied, the qualifications, actions or omissions of third party personnel or the analysis results.

(e) Reports of Findings issued by the Company will reflect the facts as recorded by it at the time of its intervention only and within the limits of the instructions received or, in the absence of such instructions, within the limits of the alternative parameters applied as provided for in clause 2(a). The Company is under no obligation to refer to, or report upon, any facts or circumstances which are outside the specific instructions received or alternative parameters applied.

(f) The Company may delegate the performance of all or part of the services to an agent or subcontractor and Client authorises Company to disclose all information necessary for such performance to the agent or subcontractor.

(g) Should Company receive documents reflecting engagements contracted between Client and third parties or third party documents,

such as copies of sale contracts, letters of credit, bills of lading, etc., they are considered to be for information only, and do not extend or restrict the scope of the services or the obligations accepted by the Company.

(h) Client acknowledges that the Company, by providing the services, neither takes the place of Client or any third party, nor releases them from any of their obligations, nor otherwise assumes, abridges, abrogates or undertakes to discharge any duty of Client to any third party or that of any third party to Client.

(i) All samples shall be retained for a maximum of 3 months or such other shorter time period as the nature of the sample permits and then returned to Client or otherwise disposed of at the Company's discretion after which time Company shall cease to have any responsibility for such samples. Storage of samples for more than 3 months shall incur a storage charge payable by Client. Client will be billed a handling and freight fee if samples are returned. Special disposal charges will be billed to Client if incurred.

3. Obligations of Client

The Client will:

(a) ensure that sufficient information, instructions and documents are given in due time (and, in any event not later than 48 hours prior to the desired intervention) to enable the required services to be performed;

(b) procure all necessary access for the Company's representatives to the premises where the services are to be performed and take all necessary steps to eliminate or remedy any obstacles to, or interruptions in, the performance of the services;

(c) supply, if required, any special equipment and personnel necessary for the performance of the services;

(d) ensure that all necessary measures are taken for safety and security of working conditions, sites and installations during the performance of services and will not rely, in this respect, on the Company's advice whether required or not;

(e) inform Company in advance of any known hazards or dangers, actual or potential, associated with any order or samples or testing including, for example, presence or risk of radiation, toxic or noxious or explosive elements or materials, environmental pollution or poisons;

(f) fully exercise all its rights and discharge all its liabilities under any relevant sales or other contract with a third party and at law.

4. Fees and Payment

(a) Fees not established between the Company and Client at the time the order is placed or a contract is negotiated shall be at the Company's standard rates (which are subject to change) and all applicable taxes shall be payable by Client.

(b) Unless a shorter period is established in the invoice, Client will promptly pay not later than 30 days from the relevant invoice date or within such other period as may be established by the Company in the invoice (the "Due Date") all fees due to the Company failing which interest will become due at a rate of 1.5% per month (or such other rate as may be established in the invoice) from the Due Date up to and including the date payment is actually received.

(c) Client shall not be entitled to retain or defer payment of any sums due to the Company on account of any dispute, counter claim or set off which it may allege against the Company.

(d) Company may elect to bring action for the collection of unpaid fees in any court having competent jurisdiction.

GENERAL CONDITIONS OF SERVICE

(e) Client shall pay all of the Company's collection costs, including attorney's fees and related costs.

(f) In the event any unforeseen problems or expenses arise in the course of carrying out the services the Company shall endeavour to inform Client and shall be entitled to charge additional fees to cover extra time and cost necessarily incurred to complete the services.

(g) If the Company is unable to perform all or part of the services for any cause whatsoever outside the Company's control including failure by Client to comply with any of its obligations provided for in clause 3 above the Company shall nevertheless be entitled to payment of:

(1) the amount of all non-refundable expenses incurred by the Company; and

(2) a proportion of the agreed fee equal to the proportion of the services actually carried out.

5. Suspension or Termination of Services

The Company shall be entitled to immediately and without liability either suspend or terminate provision of the services in the event of:

(a) failure by the Client to comply with any of its obligations hereunder and such failure is not remedied within 10 days that notice of such failure has been notified to Client; or

(b) any suspension of payment, arrangement with creditors, bankruptcy, insolvency, receivership or cessation of business by Client.

6. Liability and Indemnification

(a) Limitation of Liability:

(1) The Company is neither an insurer nor a guarantor and disclaims all liability in such capacity. Clients seeking a guarantee against loss or damage should obtain appropriate insurance.

(2) Reports of Findings are issued on the basis of information, documents and/or samples provided by, or on behalf of, Client and solely for the benefit of Client who is responsible for acting as it sees fit on the basis of such Reports of Findings. Neither the Company nor any of its officers, employees, agents or subcontractors shall be liable to Client nor any third party for any actions taken or not taken on the basis of such Reports of Findings nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to the Company.

(3) The Company shall not be liable for any delayed, partial or total non-performance of the services arising directly or indirectly from any event outside the Company's control including failure by Client to comply with any of its obligations hereunder.

(4) The liability of the Company in respect of any claim for loss, damage or expense of any nature and howsoever arising shall in no circumstances exceed a total aggregate sum equal to 10 times the amount of the fee paid in respect of the specific service which gives rise to such claim or US\$20,000 (or its equivalent in local currency), whichever is the lesser.

(5) The Company shall have no liability for any indirect or consequential loss including without limitation loss of profits, loss of business, loss of opportunity, loss of goodwill and cost of product recall. It shall further have no liability for any loss, damage or expense arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Client.

(6) In the event of any claim, Client must give written notice to the Company within 30 days of discovery of the facts alleged to justify such claim and, in any case, the Company shall be discharged from all liability for all claims for loss, damage or

expense unless suit is brought within one year from:

(i) the date of performance by the Company of the service which gives rise to the claim; or

(ii) the date when the service should have been completed in the event of any alleged non-performance.

(b) Indemnification: Client shall guarantee, hold harmless and indemnify the Company and its officers, employees, agents or subcontractors against all claims (actual or threatened) by any third party for loss, damage or expense of whatsoever nature including all legal expenses and related costs and howsoever arising relating to the performance, purported performance or non-performance, of any services.

7. Miscellaneous

(a) If any one or more provisions of these General Conditions are found to be illegal or unenforceable in any respect, the validity, legality and enforceability of the remaining provisions shall not in any way be affected or impaired thereby.

(b) During the course of providing the services and for a period of one year thereafter Client shall not directly or indirectly entice, encourage or make any offer to Company's employees to leave their employment with the Company.

(c) Use of the Company's corporate name or registered marks for advertising purposes is not permitted without the Company's prior written authorisation.

8. Governing Law, Jurisdiction and Dispute Resolution

Unless specifically agreed otherwise, all disputes arising out or in connection with Contractual Relationship(s) hereunder shall be governed by the substantive laws of the State of New Jersey exclusive of any rules with respect to conflicts of laws and be finally settled under the Rules of Arbitration of the International Chamber of Commerce by one or more arbitrators appointed in accordance with the said rules. The arbitration shall take place in Hackensack, New Jersey and be conducted in the English language.

VINCE. Layette Test Requirement Chart

LAYETTE PACKAGE TEST LIST (Mandatory Tests)	Cashmere
Labeling	X
Dimensional Stability in Laundering (3 cycles) and Dry Cleaning (1 cycle)	X
Appearance after Laundering and Dry Cleaning	X
Skewing (knit's only)	X
Colorfastness to Laundering and dry clean (Actual)	X
Colorfastness to Crocking	X
Colorfastness to Light	X
Colorfastness to Perspiration	X
Colorfastness to Non-Chlorine Bleach	X
Colorfastness to Saliva	X
Yarn Size	X
Fiber Analysis	X
Fiber Diameter	X
Product Weight	X
Pilling	X
Seam Stretchability	X
Component Strength/Use and Abuse	X
Snap/Unsnap	X
Formaldehyde (spot test, if positive, full test) (on main fabric only)	X
pH	X
Regulatory	
Flammability (Non-exempt)	X
Flammability Blanket if applicable	X
Children's Sleepwear Flammability if applicable	X
Restricted Substances and state regulations (Washington)	

CASHMERE/LAYETTE

F= Fabric / G=Garment

G	Evaluation	Method	Requirement
LABELING			
G	Uniform Packaging and Labeling Regulations (Applicable to the Packaging materials)	NIST Uniform Laws and Regulations Handbook 130	Manufacturer, Packer, or Distributor's Name & Address (City, State & Zip)
			Product Identification
			Identification Net quantity of contents shall be expressed in terms of weight or mass, measure, numerical count, or combination so as to give accurate information to facilitate consumer comparison (U.S. and metric units)
G	Country of Origin	19 CFR 134	Shall indicate country of origin legibly, permanently, in center back of neck or waist in comparable size and close proximity to any mention of country other than country in which the article was manufactured or produced. Must be visible at point of purchase.
G	Care Label	16 CFR 423	Must be sewn in Permanently and Must Comply to Regulations (Care Labeling Rule)
G	Fiber Content	16 CFR 303	Must be visible at Point of Sale (Packaging) and Must Comply to Regulations (Textile Fibers Identification Act)
G	WPL# (Wool Product Number) or Manufacturing Name (Applicable to wool product only)	16 CFR 300	If listed, report actual. If not listed, verify presence of RN number or name of manufacturer.
G	RN# (Registered Number) or Mfr. Name	16 CFR 303	If listed, report actual (Textile Fiber Products Identification Act)
G	Tracking Label- Children's Items	CPSIA	<ol style="list-style-type: none"> 1. Manufacturer or private labeler name; 2. Location and date of production of the product; 3. Detailed information on the manufacturing process, such as batch or run number, or other identifying characteristics; and 4. Any other information to facilitate ascertaining the specific source of the product. <p>All tracking label information should be visible and legible</p> <p>In lieu of points 2-4, a unique identifier tracking numbering system can be used (PO or SKU #); provided it can achieve the same level of traceability to ascertain the specific source of manufacture of the product.</p>
G	Size	Visual	Verify Presence

F=Fabric / G=Garment

G	Evaluation	Method	Requirement
PHYSICAL CHARACTERISTICS			
G	Product Weight	ASTM D3776	+ / - 5%
G	Yarn Size	ASTM D1059	Report Actual
	Fiber Content**Blends	AATCC 20 / 20A	Report Actual (3% Maximum Tolerance – FTC)
G	Fiber Content**Single Fiber	AATCC 20 / 20A	Report Actual (0% Tolerance – FTC)
G	Fiber Diameter (cashmere only) Cashmere Micron Size	IWTO-8	<ul style="list-style-type: none"> Average fiber diameter less than 19 microns Coarse hair in excess of 30 microns cannot exceed 3% by weight of the product Coefficient of variation must be less than 24%
	Flammability		
ANALYTICAL			
G	Formaldehyde	See RS Protocol	
G	pH	AATCC 81	4.0 – 8.5
APPEARANCE PROPERTIES			
G	General Appearance after Laundering or Dry Cleaning (3 HL/ 1 HW or 1 DC)	VISUAL / S-1055	No obvious defects/observations affecting the end product performance/appearance, color change/staining, satisfactory performance of the components and trims. List all observations
G	Defects	Visual / ASTM D3990	No Major Defects Shall demonstrate good, even construction, with no sharp edges, sharp points or discoloration.
G	Skewing (Torque)	AATCC 179	6% Max.
PERFORMANCE			
G	*Flammability	16 CFR 1610	Class 1, Normal Flammability
G	*Flammability (blanket)	ASTM D4151	Grade 1
F&G	*Flammability- Sleepwear	16 CFR 1615/1616	Meet Standard Testing required in the following stages: Fabric- Fabric Production Unit (FPU) Prototype- Seams, Trims prototype Garment- Garment Production Unit Tight Fitting Sleepwear will be evaluated per 16 CFR 1610
G	Dimensional Stability (After 3HL / 1 HW)	AATCC 135 / 150	Length x Width 5.0 x 5.0
G	Dimensional Stability (After 1 Dry Clean)	AATCC 158	Shrinkage: -3.0% x -3.0% Growth: 0.0% maximum
G	Crocking	AATCC 8 / 116	General: 4.0/30 Dark Color: 3.5/2.5 Microfiber/peached/Suede: 3.5/2.0
G	Seam Stretchability (Knits)	AATCC TS-015	Fabrics <3.5 oz/sq.yard = Minimum 30% Elongation or 6.0lb load Fabrics ≥3.5 oz/sq.yard = Minimum 50% Elongation or 7.0lb load
G	Piling Resistance (ICI Pilling)	ISO 12945-1	Class 3.5 @ 4 hours Class 3.5 @ 2 hours for animal fibers
G	Actual Laundering (After 3 HL/1 HW)	AATCC 135 / 150 (MOD.) / S-1042/ as per care	Color Change: Grade 4 minimum Staining: Grade 3.5 minimum Self-staining: Grade 4.5 minimum (Modification = Adding multi-fiber to specimen)

G	Actual Dry Clean	As per care	Color change: Grade 4 minimum Staining: Grade 3.5 minimum Self-staining: Grade 4.5 minimum
G	Perspiration	AATCC 15	Color change: Grade 4 minimum Staining: Grade 3.5 minimum Self-staining: Grade 4.5 minimum
G	Light	AATCC 16 Option 3	20AFU General: Grade 3.5 minimum Wool: Color change: Grade 3.0 minimum 10AFU Pastel/Bright/Neon shades Color change: Grade 4.0 minimum Silk: Color change: Grade 3.5 minimum
G	Saliva	DIN 53160-1	Color staining: 4 minimum
G	Non-Chlorine Bleach	AATCC TS-001 / S-1004	Color change: Grade 4.0 minimum Results determine appropriate bleach warning on care label
G	Small Parts, Sharp Points and Edges- Children's Items	ASTM F963	No Small Part, Sharp Point or Edge in original and after use and abuse testing. Minimum 21.0 lbs/10 seconds on any one, test all and report results for each individual 4 lbs/in Torque if applicable *Items with non-graspable components must be laundered a total of 10 cycles to ensure components are securely attached Remark: Fail the item if anyone or any part of the specimen separates and can fit into a small part chocking cylinder, per CPSC and 16 CFR 1500
G	Items with non-graspable components (Children)	AATCC 150/ AATCC 158	Must be laundered a total of 10 washing cycles / 5 dryclean cycles to ensure components are securely attached
G	Drawstrings Review- Children's Garments	Visual/Actual measurement Per ASTM F 1816. New York (N.Y General Business Law Section 391.b and Amendment Wisconsin State Law ATCP 139 U.S Consumer Product Safety Specification for Drawstrings on Children's Outerwear	Drawstrings, cords, decorative ties, and adjustable tabs must be in compliance with ASTM F1816, NY and WI, including: Hood and neck drawstrings/ ties are not Allowed at all on any children's clothing Garment Waist Drawstring /ties- Drawstrings/ties may not exceed 3 inches (75mm) in length on each side outside the drawstring channel when garment is expanded to its fullest width. Drawstrings/ties must be bartacked at center back so string cannot be pulled out. Toggles, knots and attachments at free ends for all strings and trims/hardware are prohibited. Pom poms, sequins and other small part trims are prohibited. Textile or apparel for infants (36 months and under) may not have attachments measuring 1/8" (3mm) or less in

			<p>dimension.</p> <p>Decorative beads may only be used subject to Vince approval.</p> <p>Yarn or thread free ends should be adequately secured to prevent unravelling.</p>
<p>HARDWARE TRIM: ADDITIONAL PERFORMANCE TESTING for young adult/adult product (> size 7) only</p>			
<p>SNAPS, EYELETS, AND RIVETS: (in addition to the testing on page 1):</p> <p>Note: Components must be submitted attached to bulk fabric in the same manner as in production</p>			
G	*Attachment Strength	ASTM D7142, Option 2/16 CFR 1500	(Client specific requirement) 21 lbs for 10 seconds
G	*Snapping / Unsnapping Force	ASTM d4846/ s- 1045	Minimum 2 lbs Maximum 6 lbs

SGS Laboratory

ASIA-PACIFIC	
SGS Bangladesh – Chittagong	
SGS Bangladesh Ltd.	
Address	IIUC Tower, 7 th & 11 th Floors, Plot no. 9- (Opposite side of Banani Complex), SK. Mujib Road, Agrabad C/A, Chittagong, Bangladesh.
Phone	+88 031 715 037, 715074 & 715082
Fax	+88 031 710 165
Contact	Abdul Halim
Email	Abdul.Halim@sgs.com
SGS Bangladesh – Dhaka	
SGS Bangladesh Ltd.	
Address	Noor Tower, 2nd, 6th-7th & 13th Floors, 110 Bir Uttam C.R. Datta Road, Dhaka-1205, Bangladesh
Phone	+88 02 967 6500
Fax	+88 02 967 6493
Contact	Mahfuzur Rahman
Email	Mahfuzur.Rahman@sgs.com
SGS (Cambodia) – Phnom Penh	
SGS (Cambodia) Ltd.	
Address	1076A-C, St. 371, Sankat Stung Meanchey, Kan Meanchey, Phnom Penh, Kingdom of Cambodia.
Phone	+855-(0)23-967-888 ext.301
Fax	+855 (0)23 967 885
Contact	Janet Cheng
Email	janet.cheng@sgs.com
SGS China – Changzhou	
SGS-CSTC Standards Technical Services Co., Ltd – Changzhou lab	
Address	4/F, Bldg30, Black Peony Science Park, No.47 Qingyang North Road, Tianning District, Changzhou City, Jiangsu Province, China
Phone	+86 519 85358011
Fax	+86 519 85358113
Contact	Judy Qiu
Email	Judy.qiu@sgs.com
SGS China – Guangzhou	
SGS-CSTC Standards Technical Services Co., Ltd. – Guangzhou lab	
Address	198 Kezhu Road, Science Park, Economic and Technological Development Zone, Guangzhou, China 510663
Phone	+86 20 8215 5601
Fax	+86 20 8207 5161
Contact	Kitty Zhang and Adams Yu
Email	Kitty.Zhang@sgs.com and Adams.yu@sgs.com

SGS China - Nanjing	
SGS-CSTC Standards Technical Services Co., Ltd. – Nanjing lab	
Address	1/F, Building 2, No.9, Yongfeng Road, Qinhuai District, Nanjing, China
Phone:	+86 25 8455 5469
Fax:	+86 25 8455 3467
Contact:	Emma Shan
Email:	Emma.shan@sgs.com
SGS China – Ningbo	
SGS-CSTC Standards Technical Services Co., Ltd. – Ningbo lab	
Address	2/F West No. 4 Building, Lingyun Industry Park, No.1177 Lingyun Road , Ningbo National Hi-Tech Zone, Ningbo , China. 315103
Phone:	+86 574 8907 0213
Fax:	+86 574 8776 4217
Contact:	Jessica Zhou
Email:	Jessica.Zhou@sgs.com
SGS China – Qingdao	
SGS-CSTC Standards Technical Services Co., Ltd. – Qingdao lab	
Address	1/F, SGS Center, No.143, Zhuzhou Road, Hi-Tech Industrial Park, Qingdao, China, 266101
Phone	+86 532 6899 9456
Contact	+86 532 8388 4258
Mobile	Angel Guo
Email	Angel.guo@sgs.com
SGS China – Shanghai	
SGS-CSTC Standards Technical Services (Shanghai) Co.,Ltd	
Address	4/F, 4th Building, No.889, Yishan Road, Xuhui District, Shanghai, China.200233
Phone	+86 21 6140 2666
Fax	+86 21 6495 8763
Contact	Juju Zhang
Email	Juju.Zhang@sgs.com

SGS China – Hangzhou	
SGS-CSTC Standards Technical Services Co., Ltd. – Hangzhou lab	
Address	4/5/6th Floor, the 4th Building No.1180, Bin'an Road, Hangzhou, China 310052
Phone	+86 571 8982 9219
Fax	+86 571 8768 8901
Contact	Rita Hu
Email	Rita.Hu@sgs.com

SGS China – Tianjin	
SGS-CSTC Standards Technical Services Co., Ltd. – Tianjin lab	
Address	Block A, Kaitai Tech Park, No.41 of the 5th Avenue, TEDA, Tianjin
Phone	+86 22 65288413
Fax	+86 22 25293879
Contact	Shepherd Wei
Email	shepherd.wei@sgs.com

SGS Hong Kong	
SGS Hong Kong Ltd.	
Address	4/F, On Wui Centre, 25 Lok Yip Road, Fanling, New Territories, Hong Kong
Phone	+852 2774 7151 +852 2774 7133 (Sample pick up)
Fax	+852 2330 4862
Contact	Wing Yan Law
Email	WingYan.Law@sgs.com

SGS India – Bangalore	
SGS India Pvt. Ltd.	
Address	38/1 & 2, Ahmed Plaza, Bethana Agrahara, Hosur Road, Bangalore - 560 001
Phone	+91 80 67261400/1500
Mobile	+91 97 42688814
Contact	P.M.Reddy
Email	PM.Reddy@sgs.com

SGS India – Chennai (Madras)	
SGS India Pvt. Ltd.	
Address	28 B1 (SP) / 28 B2 (SP), 2nd Main Road, Ambattur Industrial Estate, Ambattur, Chennai - 600 058, Tamilnadu, India.
Phone	+91 44 6608 1600
Contact	Anitha Jeyaraj and KS Padmanaban
Email	Anitha.jeyaraj@sgs.com and ks.padmanaban@gs.com

SGS India – Gurgaon (New Delhi)	
SGS India Pvt. Ltd.	
Address	Plot No. 226, Udyog Vihar, Phase I, Gurgaon,122015, Haryana, India
Phone	+91-124-613 5000
Mobile	+91-987-179 4626
Contact	Amit Sureka
Email	amit.sureka@sgs.com
SGS India – Tirupur	
SGS India Pvt. Ltd.	
Address	No.134, 2nd Floor, Sivashakthi Nagar, College Road, Tirupur - 641 602, Tamil Nadu, India
Phone	+91 421 4630141
Contact	Balamurugan Ramasamy
Email:	balamurugan.ramasamy@sgs.com
SGS India – Ahmedabad Sample Collection Center	
SGS India Pvt Limited	
Address	201, Sumel Tower II (second Floor), S.G Highway, Near Gurudwara, Ahmedabad(Gujarat)-380054
Phone	Phone: +91 79 616 03 100 Ext: 211 Mobile: +91 95 587 33 800
Contact	Prerak Parmar
Email:	Prerak.Parmar@sgs.com
SGS India – Ambur Sample Collection Center	
SGS India Pvt Limited	
Address	# 4 - D - 3 / 3C, By- pass Road, Ambur - 635 802, Tamilnadu, India
Phone	Mobile: +91 87544 20192 / +91 95660 02259.
Contact	Mr. L. Srinivasan
Email:	L_Srinivasan@sgs.com
SGS India – Delhi Sample Collection Center	
SGS India Pvt Limited	
Address	A-246, Phase -1,Okhla Industrial Area, New Delhi
Phone	+91 9990611901
Contact	Sachin Kanotra
Email:	Sachin.kanotra@sgs.com
SGS India – Karur Sample Collection Center	
SGS India Pvt Limited	
Address	No.47, 1 st floor, Opp Mahendra finance,Sengunthapuram Main Road, Karur - 639002,
Phone	+91 9894688857
Contact	MK Muruganandam
Email:	MK_Muruganandam@sgs.com

SGS India – Kolkata Sample Collection Center	
SGS India Pvt Limited	
Address	Ecospace, Block – 3A, 2nd Floor, East Wing, Premises IIF/ 11, Action Area –II, Rajarhat, New Town, Kolkata 700 156
Phone	Phone : +91 6650 6162 Mobile: +91 98311 52907
Contact	Sandip Kayal
Email:	sandip.kayal@sgs.com
SGS India – Mumbai Sample Collection Center	
SGS India Pvt Limited	
Address	SGS House, 4B, Adi Shankaracharya Marg, Near Telephone Exchange, Vikhroli (West), Mumbai-400083, India.
Phone	Phone: +91 22 664 08 888 Direct: +91 22 664 08 730 Mobile: +91 98 330 11 974
Contact	Rakesh Pawar
Email:	rakesh.pawar@sgs.com
SGS India – Panipat Sample Collection Center	
SGS India Pvt Limited	
Address	C/o, Prakash Guest House, Origin Handlooms, Railway Road, Panipat
Phone	07206055520
Contact	Pratap Singh
Email:	Pratap.Singh@sgs.com
SGS Indonesia - Jakarta	
PT. SGS Indonesia Consumer Testing Services	
Address	The Garden Centre 1st & 2nd Floor, Cilandak Commercial Estate, Jl. Cilandak KKO, Jakarta 12560
Phone	+62 21 297 80600
Fax	+62 21 297 80678
Contact	Ellya Santhy
Email	Ellya.Santhy@sgs.com
SGS Indonesia – Semarang	
PT SGS Indonesia	
Address :	Ruko Diponegoro Jl. Diponegoro No. 247 Ungaran 50512 Semarang – Central Java, Indonesia
Phone :	+62(24) 76929130
Fax :	+62(24) 76929130
Contact :	Adelies Mahardhika
Email :	Adelies.Mahardhika@sgs.com

SGS Indonesia – Surabaya Sample Collection Center	
PT SGS Indonesia	
Address :	Intiland Tower 8 th floor - 2A Jl. Panglima Sudirman 101-103 Surabaya 60271, East Java- Indonesia
Phone :	+62 (0)31 5359030
Fax :	+62 (0)31 5359030
Contact :	Dobby Timothy
Email :	Dobby.timothy@sgs.com
SGS Korea – Anyang	
SGS Korea Co., Ltd.	
Address	#322, The O Valley Bldg. 555-9, Hogye-dong, Dongan-gu, Anyang, Gyeonggi, Korea, 431-080
Phone	+82 (0)31 460 8051 (Business Manager) +82 (0)31 460 8061 (Admin)
Fax	+82 (0)70 4332 1678
Contact	Alex Hur
Email	Alex.hur@sgs.com
SGS Pakistan – Karachi	
SGS Pakistan (Private) Limited	
Address	H-3/3, Sector 5, Korangi Industrial Area, Karachi, Pakistan
Phone	+92 21 111 222 747 +92 21 3512 1386
Contact	Naeem Minhas / Aatikha Abbas
Email	Naeem.Minhas@sgs.com ; aatikha.abbas@sgs.com
SGS Pakistan – Lahore	
SGS Pakistan (Private) Limited	
Address	Plot No. 7-Din Muhammad Town- 19km off Multan Road, Lahore. Pakistan
Phone	+92 42 3597 1551 +92 21 3751 5421 +92 21 3512 1386
Contact	Saleem Anjum and Ramzan Javed
Email	saleem.anjum@sgs.com and ramzan.javed@sgs.com
SGS Pakistan – Site Office Karachi Sample Collection Center	
SGS Pakistan (Private) Limited	
Address	Room # 108, 1 st Floor, Dehdi Plaza, Siemens Road, Karachi
Phone	+92 21 3259431
Contact	Gul Muhammad
Email	Gul.Muhammad@sgs.com

SGS Philippines	
SGS Philippines, Inc.	
Address	G/F, Alegria Building, 2229 Chino Roces Avenue, Makati City, Philippines
Phone	+632 784 9400 (ext 812) (Lab) +632 784 9400 (ext 803) (Sample receiving)
Fax	+632 752 2355 (Lab)
Contact	Jocelyn Babann/ Meden Peneyra
Email	Jocelyn.Babaan@sgs.com ; Meden.Peneyra@sgs.com
SGS Sri Lanka	
SGS Lanka (Pvt) Ltd.	
Address	140, Vauxhall Street, Colombo 2, Sri Lanka
Phone	+94 11 537 6280 (Ext. 124 & 162)
Fax	+94 11 537 6289
Contact	Roshan Peries/ Anil Wijayakumar
Email	Roshan.Peries@sgs.com ; Anil.Wijayakumar@sgs.com Mihirinie.Kapukotuwa@sgs.com
SGS Taiwan – Taipei	
SGS Taiwan Ltd.	
Address	31, Wu Chyuan Road, New Taipei Industrial Park, New Taipei City 24886, Taiwan
Phone	+886 2 2299 3279 (ext.5202 / 5110 / 5220) +886 2 2299 3279 (ext 5237) (Sample pick up)
Fax	+886 2 2298 4060
Contact	Jerry Tung
Email	jerry.tung@sgs.com
SGS Thailand	
SGS (Thailand) Ltd.	
Address	41/23 Soi Rama III (59), Rama III Road, Chongnonsee, Yannawa, Bangkok, 10120 Thailand
Phone	+66 (0)2 683 0541-9 ext. 2147
Fax	+66 (0)2 294 8200
Contact	Mali Jattawong
Email	Mali.Jattawong@sgs.com
SGS Vietnam – Hai Phong	
SGS Vietnam – Hai Phong Laboratory	
Address	Workshop X11 – Hai Thanh Workshop Area, Hai Thanh Ward, Duong Kinh District, Hai Phong City
Phone	(84 – 31) 3552 722
Fax	(84 – 31) 3552 724
Contact	Ms. Hien (HL)/ Ms. Oanh (SL)
Email	Hien.LeThu@sgs.com ; oanh.nguyenkim@sgs.com

SGS Vietnam	
SGS Vietnam Ltd.	
Address	Lot III/21, 19/5A Street, Industrial Group III, Tan Binh Industrial Zone, Tay Thanh Ward, Tan Phu District, Ho Chi Minh City, Vietnam
Phone	+(84 8) 3816 0999
Fax	+(84 8) 3816 0996
Contact	Ngan Thai
Email	Ngan.Thai@sgs.com
SGS Vietnam Sample Collection Center - Hanoi	
SGS Vietnam Ltd.	
Address	11FL, Hoa Binh International Office Tower, 106 Hoang Quoc Viet, Nghia Do Ward, Cau Giay District, Hanoi
Phone	(84) 225 355 2722 ext 139
Fax	(84) 43 7624014
Contact	Ms. Ha Pham Mai
Email	Ha.phammai@sgs.com

AFRICA	
SGS Madagascar	
SGS Madagascar Sarl	
Address	SGS Madagascar, Immeuble Ariane, Enceinte Galaxy, Antananarivo, 101, Madagascar
Phone	+261 32 05438 50
Fax	+261 2023 56414
Contact	Sandratra Hasiniavo
Email	Sandratra.hasiniavo@sgs.com
SGS Mauritius	
SGS (Mauritius) Ltd	
Address	Industrial Zone, Valentina, Phoenix 73553, Mauritius
Phone	+230 696 8808
Fax	+230 696 7088
Contact	Suraj Bhunora
Email	Suraj.Bhunora@sgs.com
SGS Morocco	
SGS MAROC S.A.	
Address	110 Route Secondaire, Lot BADR, Lot N°:4, Atelier 2, Sidi Bernoussi, 20250 Casablanca - Morocco
Phone	+ 212 522 664 820
Fax	+ 212 522 661 021
Contact	Reda Moubarik and Rajaa Nbaoui
Email	reda.moubarik@sgs.com and rajaa.nbaoui@sgs.com

SGS Tunisia	
SGS Tunisie SA	
Address	Rue 8612 Imp. N°5 - BP 17 - La Charguia 1 - 1080 Tunis Tunisia
Phone	+216 71 205 100
Fax	+216 71 205 082
Contact	Imen Ben Khalifa (Chemical) M Abdelhak Machghoul (Physical)
Email	imen.benkhalifa@sgs.com , Abdelhak.Machghoul@sgs.com
SGS Tunisia Sample Collection Center - Sousse	
SGS Tunisie SA	
Address	10,Boulevard M'hamed Maarouf 4000 Sousse Tunisia
Phone	+216 73 226 288
Fax	+216 73 226 212
Contact	Cyrine Ammar
Email	cyrine.ammar@sgs.com
SGS Tunisia Sample Collection Center - Bizerte	
SGS Tunisie SA	
Address	Rue 8 janvier 1938, Immeuble galerie des arts N°12 Bizerte 7000
Phone	+216 72433 626
Fax	+216 72 433 037
Contact	Antar Khmais
Email	Khmaies.Antar@sgs.com
SGS Tunisia Sample Collection Center – Sfax	
SGS Tunisie SA	
Address	Av. Ibn Zaidoun, Rte de Gabes 3018 –Sfax- Tunisia
Phone	+216 74 450 598
Fax	+216 74 245 890
Contact	Ben Amor Mohamed
Email	Mohamed.BenAmor@sgs.com

AMERICAS

SGS Brazil

SGS do Brasil Ltda.

Address	Av. Andromeda, 832 - AlphaConde, Barueri, SP Brazil
Phone	+55 11 2664-9595 ext 8785
Fax	+55 11 3883-8904
Contact	Ana Tavares
E-mail	Ana.tavares@sgs.com

SGS Mexico

SGS de Mexico S.A de C.V.

Address	Industria Eléctrica # 19 –PB Fraccionamiento parque industrial Naucalpan; Naucalpan de Juarez, Estado de México . México. CP 53489.
Phone	+52 55 5395 7226 ext. 107
Fax	N/A
Contact	Erika Maldonado, Elizabet Hernandez
Email	Erika.Maldonado@sgs.com Elizabet.hernandez@sgs.com

SGS USA

SGS North America Inc.

Address	291 Fairfield Avenue, Fairfield, NJ, USA, 07004
Phone	+1 973 461 7908
Fax	+1 973 575 7175
Contact	Carlos Juarez
Email	Carlos.juarez@sgs.com

EUROPE

SGS Turkey

SGS Supervise Gozetme Etud Kontrol Servisleri A.S.

Address	Is Istanbul Plaza Baglar Mah. Osmanpasa Cad. No:95 E Girisi, Gunesli, 34209, Istanbul, Turkey
Phone	+90 212 368 40 00 +90 212 368 40 00 ext:4501 (Sample pick up)
Fax	+90 212 296 47 82
Contact	Bilal Kılaz, Eda Akgül or Okan Aşçıbaşı
Email	bilal.kilaz@sgs.com , eda.ahgul@sgs.com or okan.ascibasi@sgs.com